



YOUR SECURITY PARTNER

Let's go  Keyless.



A central image of a black StGuchi Digital Door Lock with a keypad and a handle. The lock is labeled "StGuchi Digital Door Lock" and "An ASSA ABLOY Group brand".

Surrounding the central lock are ten circular callouts, each containing a different StGuchi lock model:

- SGDL-TG11
- SGDL-809L/TF100MB
- SGDL-809L
- SGDL-809L/C70MB
- SGDL-MG350MB
- SGDL-TC60MB
- SGDL-TC41
- SGDL-TC40
- SGDL-TC30
- SGDL-TC21
- SGDL-TC20

One Card
For All Your Locks

Let's go Keyless.

Digital Door Lock with Fingerprint Access

DIGITAL MADE IN KOREA



FINGERPRINT



PASSWORD



RFID CARD



EMERGENCY KEY



**SGDL-809L/
TF100MB**

**MATT BLACK
EDITION**

SGDL-809L/TF100MB

Let's go **Keyless**.

SGDL-809L/TF100MB DIGITAL DOOR LOCK With Fingerprint Access



RFID STICKER



RFID KEYTAG




RFID CARD



EMERGENCY KEY

**MATT BLACK
EDITION**



FRONT VIEW

SIDE VIEW

- Fingerprint
- RFID Card Access
- Password
- Automatic Lock / Relock
- Scramble Code
- Integrated With Fire Sensor
- Anti Hacking Emergency Alarm System
- Adjustable Volume Level
- High Voltage Protection Circuit
- External Emergency Battery Terminal (9V)
- Easy To Use Even At Night
- It Has Self Diagnostic Function To Indicate An Error Condition
- Back Lock Thumbturn / Button
- Double Lock
- Auto Cover Authentication
- Anti-Panic Handle
- Multi-Touch Feature
- Emergency Key
- 2 Years Warranty

Specifications		
Door Thickness		35-50mm
Finishing of Product		Matt Black
Power Supply	Voltage DC 6V	LR6 1.5V AA Size alkaline Battery 8pcs
	Emergency battery DC 9V	Alkaline Battery (Sold Separately)
Pin Number		4-12 digit
Authentication	No. of pin registration	1
	No. of RFID card registration	30
	No. of fingerprint registration	100
	No. of mechanical key combination	1
Heat Sensor	Temperature sensor level	60° ± 10°
Material	Front body	Al, Zn, ABS
	In body	Zn, ABS
Included Accessories	RFID card	2pcs
	RFID sticker	2pcs
	RFID key tag	2pcs
	Emergency key	2pcs
	1.5V AA Size alkaline battery	8pcs

*All the measurements are in millimeter (mm)

SGDL-TF10MB

Let's go **Keyless**.


SGDL-TF10MB DIGITAL DOOR LOCK With Fingerprint Access



MATT BLACK EDITION




- Fingerprint
- Password
- Automatic Lock / Relock
- Scramble Code
- Intergrated With Fire Sensor
- Anti Hacking Emergency Alarm System
- Adjustable Volume Level
- High Voltage Protection Circuit
- External Emergency Battery Terminal (9V)
- Easy To Use Even At Night
- It Has Self Diagnostic Function To Indicate An Error Condition
- Back Lock Thumbturn / Button
- Double Lock
- Auto Cover Authentication
- Strong & Durable Body Components
- Multi-Touch Feature
- 2 Years Warranty



Specifications		
Door Thickness		30-50mm
Finishing of Product		Matt Black
Power Supply	Voltage DC 6V	LR6 1.5V AA Size alkaline Battery 4pcs
	Emergency battery DC 9V	Alkaline Battery (Sold Separately)
Pin Number		4-12 digit
Authentication	No. of pin registration	1
	No. of fingerprint registration	100
Heat Sensor	Temperature sensor level	60° ± 10°
Material	Front body	Al, Zn, Pc
	In body	Al, Zn, ABS
Included Accessories	1.5V AA Size alkaline battery	4pcs

*All the measurements are in millimeter (mm)

SGDL-809L



Let's go **Keyless.**

SGDL-809L DIGITAL DOOR LOCK With Card and Password Access

- RFID Card Access
- Password
- Automatic Lock / Relock
- Scramble Code
- Intergrated With Fire Sensor
- Anti Hacking Emergency Alarm System
- Adjustable Volume Level
- High Voltage Protection Circuit
- External Emergency Battery Terminal (9V)
- It Has Self Diagnostic Function To Indicate An Error Condition
- Easy To Use Even At Night
- Back Lock Thumbturn / Button
- Double Lock
- Anti-Panic Handle
- Multi-Touch Feature
- Emergency Key
- 2 Years Warranty



Specifications		
Door Thickness		35-50mm
Finishing of Product		Black / Chrome plate
Power Supply	Voltage DC 6V	LR6 1.5V AA Size alkaline Battery 8pcs
	Emergency battery DC 9V	Alkaline Battery (Sold Separately)
Pin Number		4-12 digit
Authentication	No. of pin registration	1
	No. of RFID card registration	30
	No. of mechanical key combination	1
Heat Sensor	Temperature sensor level	60° ± 10°
Material	Front body	Al, Zn, ABS
	In body	Zn, ABS
Included Accessories	RFID card	2pcs
	RFID sticker	2pcs
	RFID key tag	2pcs
	Emergency key	2pcs
	1.5V AA Size alkaline battery	8pcs

*All the measurements are in millimeter (mm)


SGDL-809L/C70MB

Let's go **Keyless.**

SGDL-809L/C70MB DIGITAL DOOR LOCK With Card and Password Access



**MATT BLACK
EDITION**



- RFID Card Access
- Password
- Automatic Lock / Relock
- Scramble Code
- Intergrated With Fire Sensor
- Anti Hacking Emergency Alarm System
- Adjustable Volume Level
- High Voltage Protection Circuit
- External Emergency Battery Terminal (9V)
- Easy To Use Even At Night
- Back Lock Thumbturn / Button
- Anti-Panic Handle
- Emergency Key
- 2 Years Warranty

Specifications		
Door Thickness		35-50mm
Finishing of Product		Black
Power Supply	Voltage DC 6V	LR6 1.5V AA Size alkaline Battery 4pcs
	Emergency battery DC 9V	Alkaline Battery (Sold Separately)
Pin Number		3-19 digit
Authentication	No. of pin registration	1
	No. of RFID card registration	50
	No. of mechanical key combination	1
Heat Sensor	Temperature sensor level	60° ± 10°
Material	Front body	Al, Zn, ABS, Pc
	In body	Al, Zn, ABS
Included Accessories	RFID card	2pcs
	RFID sticker	2pcs
	RFID key tag	2pcs
	Emergency Key	3pcs
	1.5V AA Size alkaline battery	4pcs

*All the measurements are in millimeter (mm)

SGDL-TC60MB

Let's go **Keyless**.

SGDL-TC60MB DIGITAL DOOR LOCK With Card and Password Access




RFID STICKER



RFID KEYTAG




RFID CARD



FRONT VIEW

SIDE VIEW



BACK VIEW

- RFID Card Access
- Password
- Automatic Lock / Relock
- Anti Hacking Emergency Alarm System
- Adjustable Volume Level
- External Emergency Battery Terminal (9V)
- High Voltage Protection Circuit
- Scramble Code
- Intergrated With Fire Sensor
- Easy To Use Even At Night
- It Has Self Diagnostic Function To Indicate An Error Condition
- Double Lock
- Strong & Durable Body Components
- Multi-Touch Feature
- 2 Years Warranty

Specifications		
Door Thickness		40-50mm
Finishing of Product		Matt Black
Power Supply	Voltage DC 6V	LR6 1.5V AA Size alkaline Battery 4pcs
	Emergency battery DC 9V	Alkaline Battery (Sold Separately)
Pin Number		3-19 digit
Authentication	No. of pin registration	4
	No. of RFID card registration	30
Heat Sensor	Temperature sensor level	60° ± 10°
Material	Front body	Al, Zn, ABS
	In body	Al, Zn, ABS
Included Accessories	RFID card	2pcs
	RFID sticker	2pcs
	RFID key tag	2pcs
	1.5V AA Size alkaline battery	4pcs

*All the measurements are in millimeter (mm)

SGDL-TC20

Let's go **Keyless**.

SGDL-TC20 DIGITAL DOOR LOCK

With Card and Password Access





RFID STICKER



RFID KEYTAG



RFID CARD



- RFID Card Access
- Password
- Automatic Lock / Relock
- Scramble Code
- Intergrated With Fire Sensor
- Anti Hacking Emergency Alarm System
- Adjustable Volume Level
- High Voltage Protection Circuit
- External Emergency Battery Terminal (9V)
- Easy To Use Even At Night
- It Has Self Diagnostic Function To Indicate An Error Condition
- Back Lock Thumbturn / Button
- Strong & Durable Body Components
- 2 Years Warranty

Specifications		
Door Thickness		35-50mm
Finishing of Product		Black / Chrome plate
Power Supply	Voltage DC 6V	LR6 1.5V AA Size alkaline Battery 4pcs
	Emergency battery DC 9V	Alkaline Battery (Sold Separately)
Pin Number		3-19 digit
Authentication	No. of pin registration	1
	No. of RFID card registration	50
Heat Sensor	Temperature sensor level	60° ± 10°
Material	Front body	Al, Zn, Pc, ABS
	In body	Al, Zn, ABS
Included Accessories	RFID card	2pcs
	RFID sticker	2pcs
	RFID key tag	2pcs
	1.5V AA Size alkaline battery	4pcs

*All the measurements are in millimeter (mm)

1

SGDL-TC21

Let's go **Keyless**.

SGDL-TC21 DIGITAL DOOR LOCK With Card and Password Access





RFID STICKER



RFID KEYTAG




RFID CARD



FRONT VIEW



FRONT SIDE VIEW



BACK VIEW




BACK SIDE VIEW

- RFID Card Access
- Password
- Automatic Lock / Relock
- Scramble Code
- Intergrated With Fire Sensor
- Anti Hacking Emergency Alarm System
- Adjustable Volume Level
- High Voltage Protection Circuit
- External Emergency Battery Terminal (9V)
- Easy To Use Even At Night
- It Has Self Diagnostic Function To Indicate An Error Condition
- Back Lock Thumbturn / Button
- Strong & Durable Body Components
- Remote Control
- 2 Years Warranty

Specifications		
Door Thickness		35-50mm
Finishing of Product		Black / Chrome plate
Power Supply	Voltage DC 6V	LR6 1.5V AA Size alkaline Battery 4pcs
	Emergency battery DC 9V	Alkaline Battery (Sold Separately)
Pin Number		3-19 digit
Authentication	No. of pin registration	1
	No. of RFID card registration	50
	No. of remote control registration	15
Remote Range - Maximum		50 Meter (depending on situation)
Heat Sensor	Temperature sensor level	60° ± 10°
Material	Front body	Al, Zn, Pc, ABS
	In body	Al, Zn, ABS
Included Accessories	RFID card	2pcs
	RFID sticker	2pcs
	RFID key tag	2pcs
	Remote Control	2pcs
	1.5V AA Size alkaline battery	4pcs

*All the measurements are in millimeter (mm)

SGDL-TC30



Let's go **Keyless.**

SGDL-TC30 DIGITAL DOOR LOCK

With Card and Password Access

- RFID Card Access
- Password
- Automatic Lock / Relock
- Scramble Code
- Intergrated With Fire Sensor
- Anti Hacking Emergency Alarm System
- Adjustable Volume Level
- High Voltage Protection Circuit
- External Emergency Battery Terminal (9V)
- Easy To Use Even At Night
- Back Lock Thumbturn / Button
- Anti-Panic Handle
- Emergency Key
- 2 Years Warranty



Specifications		
Door Thickness		35-50mm
Finishing of Product		NA Black / Chrome plate
Power Supply	Voltage DC 6V	LR6 1.5V AA Size alkaline Battery 4pcs
	Emergency battery DC 9V	Alkaline Battery (Sold Separately)
Pin Number		3-19 digit
Authenticat-ion	No. of pin registration	1
	No. of RFID card registration	50
	No. of mechanical key combination	1
Heat Sensor	Temperature sensor level	60° ± 10°
Material	Front body	Al, Zn, Pc, ABS
	In body	Al, Zn, ABS
Included Accessories	RFID card	2pcs
	RFID sticker	2pcs
	RFID key tag	2pcs
	Mechanical key	3pcs
	1.5V AA Size alkaline battery	4pcs

*All the measurements are in millimeter (mm)

SGDL-TC40



RFID STICKER





RFID KEYTAG



RFID CARD



EMERGENCY KEY



Let's go **Keyless.**

SGDL-TC40

DIGITAL DOOR LOCK

With Card and Password Access

- RFID Card Access
- Password
- Automatic Lock / Relock
- Scramble Code
- Intergrated With Fire Sensor
- Anti Hacking Emergency Alarm System
- Adjustable Volume Level
- High Voltage Protection Circuit
- External Emergency Battery Terminal (9V)
- Easy To Use Even At Night
- It Has Self Diagnostic Function To Indicate An Error Condition
- Back Lock Thumbturn / Button
- Strong & Durable Body Components
- Multi-Touch Feature
- Emergency key
- 2 Years Warranty

Specifications		
Door Thickness		30-50mm
Finishing of Product		Silver
Power Supply	Voltage DC 6V	LR6 1.5V AA Size alkaline Battery 4pcs
	Emergency battery DC 9V	Alkaline Battery (Sold Separately)
Pin Number		4-12 digit
Authentication	No. of pin registration	1
	No. of RFID card registration	30
Heat Sensor	Temperature sensor level	60° ± 10°
Material	Front body	Al, Zn, Pc
	In body	Al, Zn, ABS
Included Accessories	RFID card	2pcs
	RFID sticker	2pcs
	RFID key tag	2pcs
	Emergency Key	3pcs
	1.5V AA Size alkaline battery	4pcs

*All the measurements are in millimeter (mm)

SGDL-TC41



RFID STICKER





RFID KEYTAG



RFID CARD



EMERGENCY KEY



Let's go **Keyless.**

SGDL-TC41 DIGITAL DOOR LOCK

With Card and Password Access

- RFID Card Access
- Password
- Automatic Lock / Relock
- Scramble Code
- Intergrated With Fire Sensor
- Anti Hacking Emergency Alarm System
- Adjustable Volume Level
- High Voltage Protection Circuit
- External Emergency Battery Terminal (9V)
- Easy To Use Even At Night
- It Has Self Diagnostic Function To Indicate An Error Condition
- Back Lock Thumbturn / Button
- Strong & Durable Body Components
- Multi-Touch Feature
- Emergency key
- 2 Years Warranty


Specifications		
Door Thickness		30-50mm
Finishing of Product		Gold
Power Supply	Voltage DC 6V	LR6 1.5V AA Size alkaline Battery 4pcs
	Emergency battery DC 9V	Alkaline Battery (Sold Separately)
Pin Number		4-12 digit
Authentication	No. of pin registration	1
	No. of RFID card registration	30
Heat Sensor	Temperature sensor level	60° ± 10°
Material	Front body	Al, Zn, Pc
	In body	Al, Zn, ABS
Included Accessories	RFID card	2pcs
	RFID sticker	2pcs
	RFID key tag	2pcs
	Emergency Key	3pcs
	1.5V AA Size alkaline battery	4pcs

*All the measurements are in millimeter (mm)

1

SGDL-MG350MB

Let's go **Keyless**.



RFID STICKER



RFID KEYTAG


MATT BLACK EDITION



RFID CARD



EMERGENCY KEY



SGDL-MG350MB DIGITAL DOOR LOCK FOR METAL GATE

With Card and Password Access

- RFID Card Access
- Password
- Automatic Lock / Relock
- Scramble Code
- Intergrated With Fire Sensor
- Anti Hacking Emergency Alarm System
- Adjustable Volume Level
- High Voltage Protection Circuit
- External Emergency Battery Terminal (9V)
- Easy To Use Even At Night
- Strong & Durable Body Components
- Emergency key
- Remote Control
- 2 Years Warranty



Specifications		
Door Thickness		25~50mm
Finishing of Product		Matt Black
Power Supply	Voltage DC 6V	LR6 1.5V AA Size alkaline Battery 4pcs
	Emergency battery DC 9V	Alkaline Battery (Sold Separately)
Pin Number		3-19 digit
Authentication	No. of pin registration	1
	No. of RFID card registration	50
	No. of remote control registration	15
Remote Range - Maximum		50 Meter (depending on situation)
Heat Sensor	Temperature sensor level	60° ± 10°
Material	Front body	Al, Zn, ABS
	In body	Al, Zn, ABS
Included Accessories	RFID card	2pcs
	RFID sticker	2pcs
	RFID key tag	2pcs
	Remote control	2pcs
	1.5V AA Size alkaline battery	4pcs
	Emergency Key	3pcs

*All the measurements are in millimeter (mm)



Digital Door Lock For Glass Doors

SGDL-TG11



Let's go **Keyless.**

SGDL-TG11 DIGITAL DOOR LOCK FOR GLASS DOORS

With Card and Password Access

- RFID Card Access
- Password
- Automatic Lock / Relock
- Scramble Code
- Intergrated With Fire Sensor
- Anti Hacking Emergency Alarm System
- Adjustable Volume Level
- High Voltage Protection Circuit
- External Emergency Battery Terminal (9V)
- Easy To Use Even At Night
- Back Lock Thumbturn / Button
- Strong & Durable Body Components
- Remote Control
- 2 Years Warranty

Specifications		
Door Thickness		12mm
Finishing of Product		Black / Chrome plate
Power Supply	Voltage DC 6V	LR6 1.5V AA Size alkaline Battery 4pcs
	Emergency battery DC 9V	Alkaline Battery (Sold Separately)
Pin Number		3-19 digit
Authentication	No. of pin registration	1
	No. of RFID card registration	50
	No. of remote control registration	15
Remote Range - Maximum		50 Meter (depending on situation)
Heat Sensor	Temperature sensor level	60° ± 10°
Material	Front body	Al, Zn, Pc, ABS
	In body	Al, Zn, ABS
Included Accessories	RFID card	2pcs
	RFID sticker	2pcs
	RFID key tag	2pcs
	Remote control	2pcs
	1.5V AA Size alkaline battery	4pcs
Add on Accessories	Application type Glass to Glass	SDDL-GSP Glass Striker Plate

*All the measurements are in millimeter (mm)

Code	Description	RM / Unit
	SGDL-RFID Sticker	
	SGDL-RFID Key Tag	
	SGDL-RFID Card	
	SGDL-Glass Striker Plate	
	SGDL-RC1 Remote Control	
	SGDL-Plastic Spacer	
	SGDL-SP240 Striker Plate	
	SGDL-FP240 Striker Plate	

*All the measurements are in millimeter (mm)