



YOUR SECURITY PARTNER

GRIPSET SERIES

ARCHITECTURAL HARDWARE






Specifications

- Full Stainless Steel SUS304 Mortise
- Stainless Steel SUS304 2.5mm thickness Forend plate (Square)
- Stainless Steel SUS304 1mm thickness Striker plate (Square)
- Stainless Steel SUS304 1 x Latch bolt
- Stainless Steel SUS304 1 x Square Deadbolt
- Stainless Steel 1.2mm Lockcase
- Stainless Steel SUS304 8mm x 8mm Follower
- Solid Brass Cylinder
- Full Solid Stainless Steel SUS304 Handle

Features

- 60mm Backset of door
- 80mm Center distance of lock
- Extra Double Security Lock
- 1 Turn Deadbolt
- Reversible Latch Bolt
- Double Handle

Exploded View




MORTISE GRIPSETS




SGMH-6080/1007


*Pre order with minimum MOQ required



SGMH-6080/4008/54



SGMH-6080/5008/54



Code	Material	Finishing	Backset	D.Thickness	Packing
SGMH-6080/1007	Stainless Steel SUS304	SSSP	60	36-52	6 Sets/ctn
SGMH-6080/4008/54	Stainless Steel SUS304	SSSP	60	36-52	6 Sets/ctn
SGMH-6080/5008/54	Stainless Steel SUS304	SSSP	60	36-52	4 Sets/ctn

*All the measurements are in millimeter (mm)




Specifications

- Stainless Steel SUS304 1.5mm thickness Forend plate (Square)
- Stainless Steel SUS304 1.5mm thickness Striker plate (Square)
- Stainless Steel SUS304 1 x Curve Design Latch bolt
- Stainless Steel SUS304 1 x Square Deadbolt
- Steel 1.5mm Lockcase
- Stainless Steel SUS304 8mm x 8mm Follower
- Solid Brass Cylinder
- Zinc Diecast Handle

Features

- 55mm Backset of door
- 87mm Center distance of lock
- Anti Panic Function
- 1 Turn Deadbolt
- Reversible Latch Bolt


Exploded View




MORTISE GRIPSETS




SGMH-5587/5501




SGMH-5587/5516



SGMH-5587/8103



SGMH-5587/8775



Code	Material	Finishing	Backset	D.Thickness	Packing
SGMH-5587/5501	Zinc Diecast	DAB	55	36-45	6 Sets/ctn
SGMH-5587/5516	Zinc Diecast	DAB/SN/CP	55	36-47	6 Sets/ctn
SGMH-5587/8103	Zinc Diecast	SN/CP/DAB	55	36-45	6 Sets/ctn
SGMH-5587/8775	Zinc Diecast	SN/DAB	55	32-45	6 Sets/ctn

*All the measurements are in millimeter (mm)




Specifications

- Chrome Plated Steel 1.0mm thickness x 2 Forend plate (Square)
- Chrome Plated Steel 1.0mm thickness x 2 Striker plate (Square)
- Chrome Plated Zinc Diecast Curve Design Latch bolt
- Chrome Plated Zinc Diecast Deadbolt with Hardened Steel Pin
- Solid Brass Cylinder
- Zinc Diecast Double Handle

Features

- 60/70mm Adjustable Backset of door
- 1 Turn Deadbolt
- Applied To The Left Or Right Open Door
- Easy to Install


Exploded View



Sirim Certificate




SGTH-160




SGTH-180



SGTH-200




SGTH-260




Code	Material	Finishing	Backset	D.Thickness	Packing
SGTH-160	Zinc Diecast	AB / AC / SN	60-70 (Adjustable)	32-45	6 sets/ctn
SGTH-180	Zinc Diecast	AB / AC / SN	60-70 (Adjustable)	32-45	6 sets/ctn
SGTH-200	Zinc Diecast	AB	60-70 (Adjustable)	32-45	12 Sets/ctn
SGTH-200S		AC			
SGTH-260	Zinc Diecast	AB / AC	60-70 (Adjustable)	32-45	6 Sets/ctn

*All the measurements are in millimeter (mm)


SGTH-280



SGTH-320




SGTH-380




Code	Material	Finishing	Backset	D.Thickness	Packing
SGTH-280	Zinc Diecast	AC	60-70 (Adjustable)	35-45	12 Sets/ctn
SGTH-320	Zinc Diecast	AB / AC	60-70 (Adjustable)	32-45	6 Sets/ctn
SGTH-380	Zinc Diecast	AB / AC / SN / PB	60-70 (Adjustable)	32-45	6 sets/box, 12 sets/ctn

SGTH-500




SGTH-5011



SGTH-70750




SGTH-8031




Code	Material	Finishing	Backset	D.Thickness	Packing
SGTH-500	Zinc Diecast	AB / AC / SN	60-70 (Adjustable)	35-45	6 sets/ctn
SGTH-5011	Zinc Diecast	DAB	60-70 (Adjustable)	35-47	4 sets/ctn
SGTH-70750	Zinc Diecast	AB / AC / SN	60-70 (Adjustable)	35-45	6 sets/ctn
SGTH-8031	Zinc Diecast	AB / AC	60-70 (Adjustable)	32-45	6 Sets/ctn

*All the measurements are in millimeter (mm)

SGTH-8083



SGTH-8093



SGTH-8311




SGTH-8919




Code	Material	Finishing	Backset	D.Thickness	Packing
SGTH-8083	Zinc Diecast	AB / AC / SN	60-70 (Adjustable)	32-45	6 Sets/ctn
SGTH-8093	Zinc Diecast	AB / AC	60-70 (Adjustable)	32-45	6 Sets/ctn
SGTH-8311	Zinc Diecast	AB / AC / SN	60-70 (Adjustable)	35-45	6 sets/ctn
SGTH-8919	Zinc Diecast	AB / SC	60-70 (Adjustable)	35-45	6 sets/ctn

*All the measurements are in millimeter (mm)

SGTH-150



SGTH-9902



Code	Material	Finishing	Backset	D.Thickness	Packing
SGTH-150	Zinc Diecast	AB / AC / SN	60-70 (Adjustable)	32-40	6 sets/ctn
SGTH-9902	Zinc Diecast	AB / AC	60-70 (Adjustable)	32-45	6 Sets/ctn

*All the measurements are in millimeter (mm)

DEADBOLT LOCKS




Specifications

- Chrome Plated Steel 1.0mm thickness Forend pate (Square)
- Chrome Plated Steel 1.0mm thickness Striker plate (Square)
- Chrome Plated Zinc Diecast Deadbolt with Hardened Steel Pin
- Solid Brass Cylinder

Features

- 60/70mm Adjustable Backset of door
- 1 Turn Deadbolt
- Applied To The Left Or Right Open Door
- Easy to Install

Exploded View



Sirim Certificate




DEADBOLT LOCKS




SGDB-D262 Deadbolt



SGDB-D264 Deadbolt



SGDB-D291 Deadbolt



SGDB-D361 Deadbolt



Code	Function	Material	Finishing	Backset	D.Thickness	Packing
SGDB-D261	Thumbturn & Key	Stainless Steel SUS304	SS	60-70	32-47	6 sets/ctn, 24 sets/ctn
SGDB-D262	Double Cylinder	Stainless Steel SUS304	SS	60-70	32-47	6 sets/ctn, 24 sets/ctn
SGDB-D264	One Sided Thumbturn	Stainless Steel SUS304	SS	60-70	32-47	6 sets/ctn, 24 sets/ctn
SGDB-D271	Thumbturn & Key	Brass	PB	60-70	32-47	6 sets/ctn, 24 sets/ctn
SGDB-D272	Double Cylinder	Brass	PB	60-70	32-47	6 sets/ctn, 24 sets/ctn
SGDB-D274	One Sided Thumbturn	Brass	PB	60-70	32-47	6 sets/ctn, 24 sets/ctn
SGDB-D281	Thumbturn & Key	Brass	AB	60-70	32-47	6 sets/ctn, 24 sets/ctn
SGDB-D282	Double Cylinder	Brass	AB	60-70	32-47	6 sets/ctn, 24 sets/ctn
SGDB-D284	One Sided Thumbturn	Brass	AB	60-70	32-47	6 sets/ctn, 24 sets/ctn
SGDB-D291	Thumbturn & Key	Brass	AC	60-70	32-47	6 sets/ctn, 24 sets/ctn
SGDB-D292	Double Cylinder	Brass	AC	60-70	32-47	6 sets/ctn, 24 sets/ctn
SGDB-D294	One Sided Thumbturn	Brass	AC	60-70	32-47	6 sets/ctn, 24 sets/ctn
SGDB-D361	Thumbturn & Key	Stainless Steel SUS304	SS	60-70	32-47	6 sets/ctn, 24 sets/ctn
SGDB-D381	Thumbturn & Key	Stainless Steel SUS304	AB	60-70	32-47	6 sets/ctn, 24 sets/ctn
SGDB-D391	Thumbturn & Key	Stainless Steel SUS304	AC	60-70	32-47	6 sets/ctn, 24 sets/ctn




*All the measurements are in millimeter (mm)

DEADBOLT LOCKS



SGDB-CD3011 Spin-To-Lock

SGDB-K102 Jimmy Proof Lock




- Turning to Lock right after exit
- Lock immediately

Code	Material	Finishing	Backset	D.Thickness	Function	Packing
SGDB-CD3011	Zinc Diecast	SN / AB / AC	60-70 (Adjustable)	32-47	Key with Thumbturn	6 sets/box, 12 sets/ctn
SGDB-K102	Zinc Diecast	SN / AB	60	32-45	Dead Lock	6 sets/box, 24 sets/ctn

*All the measurements are in millimeter (mm)

SPDB-D561



Code	Function	Material	Finishing	Backset	D.Thickness	Packing
SPDB-D561	Thumbturn & Key	Stainless Steel SUS304, Zinc Diecast	SN	60-70	32-47	6 sets/ctn, 24 sets/ctn
SPDB-D581	Thumbturn & Key	Stainless Steel SUS304, Zinc Diecast	AB	60-70	32-47	6 sets/ctn, 24 sets/ctn
SPDB-D591	Thumbturn & Key	Stainless Steel SUS304, Zinc Diecast	AC	60-70	32-47	6 sets/ctn, 24 sets/ctn




Specifications

- Chrome Plated Steel 1.0mm thickness Forend pate (Square)
- Chrome Plated Steel 1.0mm thickness Striker plate (Square)
- Chrome Plated Zinc Diecast Curve Design Latch Bolt
- Solid Brass Cylinder and Cylinder Cover

Features



- 60/70mm Adjustable Backset of door
- 1 Turn to Lock
- Applied To The Left Or Right Open Door
- Easy to Install

Exploded View





*All the measurements are in millimeter (mm)



SPTL-7520



SPTL-7532



SPTL-8832



5

Code	Material	Finishing	Backset	D.Thickness	Function
SPTL-7520	Zinc Diecast	AB / SN	60-70	32-45	Entrance
		SN			Privacy
SPTL-7532	Zinc Diecast	AB / SN	60-70	32-45	Entrance
		SN			Privacy
SPTL-8832	Zinc Diecast	AB / SN	60-70	32-45	Entrance
		SN			Privacy

*All the measurements are in millimeter (mm)


TUBULAR LEVERS




YOUR SECURITY PARTNER

Function Description	Illustration
Entrance Push button locking. Pushing button on inside to lock outside knob until unlocked by key or by turning inside knob.	
Privacy Push button locking. Pushing on inside to lock outside knob. Turning inside knob or closing door releases push button. Emergency release in outside knob with flat narrow tool.	
Passage Latch bolt by knobs at all times. Always unlocked.	

SGTL-8833



SGTL-6322




5

Code	Material	Finishing	Backset	D.Thickness	Function	Packing
SGTL-8833	Zinc Diecast	AB/SN	60-70 (Adjustable)	35-47	Entrance	5 sets/box, 20 sets/ ctn
					Privacy	
SGTL-6322	Zinc Diecast	AB	60-70 (Adjustable)	35-47	Entrance	5 sets/box, 20 sets/ ctn
		SN			Entrance	
		SN			Privacy	


*All the measurements are in millimeter (mm)

TUBULAR LEVERS


SGTL-6502




SGTL-6503



SGTL-6509



SGTL-6511




Code	Material	Finishing	Backset	D.Thickness	Function	Packing
SGTL-6502	Zinc Diecast	AB / AC / SN	60-70 (Adjustable)	32-47	Entrance	5 sets/box, 20 sets/ ctn
		SN			Privacy	
SGTL-6503	Zinc Diecast	AB / SN	60-70 (Adjustable)	32-47	Entrance	5 sets/box, 20 sets/ ctn
		SN			Privacy	
SGTL-6509	Zinc Diecast	AB / SN	60-70 (Adjustable)	32-47	Entrance	5 sets/box, 20 sets/ ctn
		SN			Privacy	
SGTL-6511	Zinc Diecast	AB / SN	60-70 (Adjustable)	32-47	Entrance	5 sets/box, 20 sets/ ctn
	Zinc Diecast	SN			Privacy	


*All the measurements are in millimeter (mm)

TUBULAR LEVERS


SGTL-8809



SGTL-8811



SGTL-1067



5


Code	Material	Finishing	Backset	D.Thickness	Function	Packing
SGTL-8809	Zinc Diecast	AB / SN	60-70 (Adjustable)	32-47	Entrance	5 sets/box, 20 sets/ctn
		AB / SN			Privacy	
SGTL-8811	Zinc Diecast	AB / SN	60-70 (Adjustable)	32-47	Entrance	5 sets/box, 20 sets/ctn
		SN			Privacy	
SGTL-1067	Zinc Diecast	SN	60-70 (Adjustable)	35-47	Entrance	5 sets/box, 20 sets/ctn
					Privacy	

*All the measurements are in millimeter (mm)


SGTL-527




SGTL-3660



SGTL-5600



SGTL-8600



Code	Material	Finishing	Backset	D.Thickness	Function	Packing
SGTL-527	Stainless Steel SUS304 / Brass	SS / AB / AC	60-70 (Adjustable)	32-45	Entrance	6 sets/box, 24 sets/ctn
		SS			Privacy	
SGTL-3660	Stainless Steel SUS304 / Brass	SS	60	32-45	Double Key	6 sets/box, 24 sets/ctn
SGTL-5600	Zinc Diecast	SN	60	32~47	Entrance	6 sets/box, 24 sets/ctn
SGTL-5800	Zinc Diecast	AB	60	32~47	Entrance	6 sets/box, 24 sets/ctn
SGTL-5900	Zinc Diecast	AC	60	32~47	Entrance	6 sets/box, 24 sets/ctn
SGTL-8600	Zinc Diecast	SN	60-70 (Adjustable)	32-47	Entrance	6 sets/box, 24 sets/ctn
SGTL-8800		AB				
SGTL-8900		AC				
SGTL-8610	Zinc Diecast	SN	60-70 (Adjustable)	32-47	Privacy	6 sets/box, 24 sets/ctn
SGTL-8810		AB				
SGTL-8630	Zinc Diecast	SN	60-70 (Adjustable)	32-47	Passage	6 sets/box, 24 sets/ctn
SGTL-8830		AB				

*All the measurements are in millimeter (mm)

TUBULAR LEVERS ON PLATE



YOUR SECURITY PARTNER



Specifications


- Chrome Plated Steel 1.0mm thickness Forend plate (Square)
- Chrome Plated Steel 1.0mm thickness Striker plate (Square)
- Chrome Plated Zinc Diecast Trigeminal Latch bolt
- Chrome Plated Zinc Diecast Back Plate
- Solid Brass Cylinder

Features

- Replaceable For Cylindrical & Tubular Lock
- 60mm Adjustable Backset of door
- 1 Turn to Lock
- Applied To The Left Or Right Open Door
- Easy to Install

Available for : Internal Door

Exploded View








5

*All the measurements are in millimeter (mm)


TUBULAR LEVERS ON PLATE




YOUR SECURITY PARTNER



SGTLP-0910



SGTLP-3883




5

Code	Material	Finishing	Backset	D.Thickness	Function	Packing
SGTLP-0910	Zinc Diecast	DAB / AC / SN	60	32-45	Entrance	12 sets/ctn
SGTLP-3883	Zinc Diecast	AB / AN	60	32-45	Entrance	12 sets/ctn


*All the measurements are in millimeter (mm)

TUBULAR LEVERS ON PLATE

SGTLP-81185



SGTLP-0915



SGTLP-0913



SGCL-70mm Tubular Latch For SL Series



5

Code	Material	Finishing	Backset	D.Thickness	Function	Packing
SGTLP-81185	Zinc Diecast	DAB / PAB	60	32-45	Entrance	12 sets/ctn
SGTLP-0915	Zinc Alloy	DAB	60	34-47	Entrance	12 sets/ctn
SGTLP-0913	Zinc Alloy	SSSP / BNSP	60	34-47	Entrance	12 sets/ctn
SGCL-70MM Tubular Latch for SL series	-	SS	70	-	-	-

*All the measurements are in millimeter (mm)




Specifications

- Chrome Plated Steel 1.0mm thickness Forend Plate (Square)
- Chrome Plated Steel 1.0mm thickness Striker Plate (Square)
- Chrome Plated Zinc Diecast Curve Design Latch Bolt
- Solid Brass Cylinder

Features

- 60mm or 70mm Backset of Door
- Applied To The Left Or Right Open Door
- Easy to Install


Exploded View



CYLINDRICAL LOCKS



SGCD-9600



Function	Function Description	Illustration
Entrance	Push-button locking on inside to lock outside knob.	
	Outside knob retracts latch bolt , unless locked.	
	Outside cylinder retracts latch bolt when outside knob is locked.	
	Inside knob always retracts latch bolt.	
	Close door does not unlock outside knob.	
Privacy	Push-button locking on inside to lock outside knob.	
	Outside knob retracts latch bolt , unless locked.	
	Emergency release in outside knob with flat narrow tool.	
	Inside knob always retracts latch bolt.	
	Turning inside knob or close door releases button.	
Passage	Inside and outside knob always retracts latch bolt.	
Storeroom	Outside knob rigid at all times.	
	Outside cylinder retracts latch bolt.	
	Inside knob always retracts latch bolt.	
	Close door does not unlock outside knob.	

* Backset 70mm available upon request


Code	Material	Finishing	Backset	D.Thickness	Function	Packing
SGCD-9200	Stainless Steel SUS304 / Brass	SP	60	32-45	Entrance	6 sets/box, 24 sets/ctn
SGCD-9300	Stainless Steel SUS304 / Brass	SB	60	32-45	Entrance	6 sets/box, 24 sets/ctn
SGCD-9600	Stainless Steel SUS304 / Brass	SS	60	32-45	Entrance	6 sets/box, 24 sets/ctn
SGCD-9610	Stainless Steel SUS304 / Brass	SS	60	32-45	Privacy	6 sets/box, 24 sets/ctn
SGCD-9630	Stainless Steel SUS304 / Brass	SS	60	32-45	Passage	6 sets/box, 24 sets/ctn
SGCD-9650	Stainless Steel SUS304 / Brass	SS	60	32-45	Storeroom	6 sets/box, 24 sets/ctn
SGCD-9800	Stainless Steel SUS304 / Brass	AB	60	32-45	Entrance	6 sets/box, 24 sets/ctn
SGCD-9810	Stainless Steel SUS304 / Brass	AB	60	32-45	Privacy	6 sets/box, 24 sets/ctn
SGCD-9830	Stainless Steel SUS304 / Brass	AB	60	32-45	Passage	6 sets/box, 24 sets/ctn
SGCD-9900	Stainless Steel SUS304 / Brass	AC	60	32-45	Entrance	6 sets/box, 24 sets/ctn
SGCD-9910	Stainless Steel SUS304 / Brass	AC	60	32-45	Privacy	6 sets/box, 24 sets/ctn
SGCD-9930	Stainless Steel SUS304 / Brass	AC	60	32-45	Passage	6 sets/box, 24 sets/ctn
SGCD-9B00	Stainless Steel SUS304 / Brass	BN	60	32-45	Entrance	6 sets/box, 24 sets/ctn

*All the measurements are in millimeter (mm)

CYLINDRICAL LOCKS



SGCD-3100




SGCD-8100



SGCD-36200



SGCD-37300



* Backset 70mm available upon request

Code	Material	Finishing	Backset	D.Thickness	Function	Packing
SGCD-3100	Wooden Knob-Brass	AC	60	32-45	Entrance	6 sets/box, 24 sets/ctn
SGCD-8100	Wooden Knob-Brass	AC	60	32-45	Entrance	6 sets/box, 24 sets/ctn
SGCD-36200	Stainless Steel SUS304	SSSP	60	32-45	Entrance	6 sets/box, 24 sets/ctn
SGCD-36210					Privacy	
SGCD-36230					Passage	
SGCD-37300	Brass	SBPB	60	32-45	Entrance	6 sets/box, 24 sets/ctn

*All the measurements are in millimeter (mm)


CYLINDRICAL LOCKS



YOUR SECURITY PARTNER



SGCD-3000



Model	Function	Function Description	Illustration
SGCD-3000	Entrance	Push-button locking on inside to lock outside knob.	
		Outside knob retracts latch bolt, unless locked.	
		Outside cylinder retracts latch bolt when outside knob is locked.	
		Inside knob always retracts latch bolt.	
		Close door does not unlock outside knob.	
SGCD-3010	Privacy	Push-button locking on inside to lock outside knob.	
		Outside knob retracts latch bolt, unless locked.	
		Emergency release in outside knob with flat narrow tool.	
		Inside knob always retracts latch bolt.	
		Turning inside knob or close door releases button.	
SGCD-3020	Patio	Push-button locking on inside to lock outside knob.	
		Outside knob retracts latch bolt, unless locked.	
		Inside knob always retracts latch bolt.	
		Turning inside knob or close door releases button.	
SGCD-3030	Passage	Inside and outside knob always retracts latch bolt.	
SGCD-3050	Storeroom	Outside knob rigid at all times.	
		Outside cylinder retracts latch bolt.	
		Inside knob always retracts latch bolt.	
		Close door does not unlock outside knob.	
SGCD-3070	Communicating without key	Blank rose outside.	
		Inside knob always retracts latch bolt.	
SGCD-3090	Communicating with key	Blank rose outside.	
		Lock and unlock by cylinder inside only.	
		Inside knob retracts latch bolt, unless locked.	

5


Code	Material	Finishing	Backset	D.Thickness	Function	Packing
SGCD-3000	Stainless Steel SUS304	SS	70	32-45	Entrance	30 sets/ctn
SGCD-3010					Privacy	
SGCD-3020					Patio	
SGCD-3030					Passage	
SGCD-3050					Storeroom	
SGCD-3070					Communication w/o Key	
SGCD-3090					Communication w/key	
SGCD-V3000	Stainless Steel SUS304	SS	60	32-45	Entrance	6 sets/box, 24 sets/ctn
		AC / AB / PB				

*All the measurements are in millimeter (mm)

CYLINDRICAL LOCKS



SGCD-3600



Model	Function	Function Description	Illustration
SGCD-3600	Entrance	Push-button locking on inside to lock outside knob.	
		Outside knob retracts latch bolt, unless locked.	
		Outside cylinder retracts latch bolt when outside knob is locked.	
		Inside knob always retracts latch bolt.	
		Close door does not unlock outside knob.	
SGCD-3610	Privacy	Push-button locking on inside to lock outside knob.	
		Outside knob retracts latch bolt, unless locked.	
		Emergency release in outside knob with flat narrow tool.	
		Inside knob always retracts latch bolt.	
		Turning inside knob or close door releases button.	
SGCD-3620	Patio	Push-button locking on inside to lock outside knob.	
		Outside knob retracts latch bolt, unless locked.	
		Inside knob always retracts latch bolt.	
		Turning inside knob or close door releases button.	
SGCD-3630	Passage	Inside and outside knob always retracts latch bolt.	
SGCD-3650	Storeroom	Outside knob rigid at all times.	
		Outside cylinder retracts latch bolt.	
		Inside knob always retracts latch bolt.	
		Close door does not unlock outside knob.	
SGCD-3670	Communicating without key	Blank rose outside.	
		Inside knob always retracts latch bolt.	

5

Code	Material	Finishing	Backset	D.Thickness	Function	Packing
SGCD-3600	Stainless Steel SUS304	SS	60	32-47	Entrance	30 sets/ctn
SGCD-3610					Privacy	
SGCD-3620					Patio	
SGCD-3630					Passage	
SGCD-3650					Storeroom	
SGCD-3670					Communication w/o Key	

*All the measurements are in millimeter (mm)

CYLINDRICAL LOCKS




YOUR SECURITY PARTNER


FRC-3000EN




SGCD-1000




SGCD-C1A6200




SGCD-C1M6200



SGCD-4000



SGCD-6100




* Backset 70mm available upon request

Code	Material	Finishing	Backset	D.Thickness	Function	Packing
SGCD-F3000 (visual pack)	Stainless Steel SUS304	SS	70	32-50	Entrance	6 sets/box, 24 sets/ctn
SGCD-1000	Stainless Steel SUS304	AC / AB / BNSP SSSP	60	32-47	Entrance	6 sets/box, 24 sets/ctn
SGCD-C1A6200	Marble Stainless Steel SUS304	Cream-SP	60	32-45	Entrance	6 sets/box, 24 sets/ctn
SGCD-C1M6200	Marble Stainless Steel SUS304	Brown-SP	60	32-45	Entrance	6 sets/box, 24 sets/ctn
SGCD-4000	Stainless Steel SUS304	SS	70	32-50	Entrance	6 sets/box, 24 sets/ctn
SGCD-4010					Privacy	
SGCD-4030					Passage	
SGCD-6100	Stainless Steel SUS304 / Brass	SS AB / AC	60	32-47	Entrance	6 sets/box, 24 sets/ctn

*All the measurements are in millimeter (mm)

SGCD-4100




Code	Material	Finishing	Backset	D.Thickness	Function	Packing
SGCD-4100	SUS304 Stainless Steel	SS	60	35~50	Entrance	6 Sets / box, 24sets / ctn
	Stainless Steel	AC	60	35~50	Entrance	6 Sets / box, 24sets / ctn
	Stainless Steel	AB	60	35~50	Entrance	6 Sets / box, 24sets / ctn

SGCD-4200



Transparent



Green



Brown



Yellow


Code	Material	Finishing	Backset	D.Thickness	Function	Packing
SGCD-4200	Stainless Steel SUS304	Transparent - SSSP	60	35-50	Entrance	6 sets/box, 24 sets/ctn
		Green - SSSP				
		Brown - SSSP				
		Yellow - SSSP				

*All the measurements are in millimeter (mm)

CYLINDRICAL LOCKS




SGCD-8001



SGCD-8002

*Pre order with minimum MOQ required



5

Code	Material	Finishing	Backset	D.Thickness	Function	Packing
SGCD-8001/Entrance	Zinc Diecast	SN	70	32-45	Entrance	24 sets/ctn
SGCD-8001/Privacy	Zinc Diecast	SN	70	32-45	Privacy	24 sets/ctn
SGCD-8001/Passager	Zinc Diecast	SN	70	32-45	Passage	24 sets/ctn
SGCD-8001/Connecting	Zinc Diecast	SN	70	32-45	Connecting	24 sets/ctn
SGCD-8002/Entrance	Zinc Diecast	SN	70	35-50	Entrance	12 sets/ctn
SGCD-8002/Privacy	Zinc Diecast	SN	70	35-50	Privacy	12 sets/ctn
SGCD-8002/Passager	Zinc Diecast	SN	70	35-50	Passage	12 sets/ctn

*All the measurements are in millimeter (mm)