



YOUR SECURITY PARTNER

SLIDING & FOLDING DOOR SERIES

ARCHITECTURAL HARDWARE



2003



2013

SGSF-SGWS100 Silent Sliding Door Hanger Set

*Pre order with minimum MOQ required




Features


- For 1- and 2-leaf sliding doors
- Height adjustable door leaves
- Suspension with supporting flange
- Self cleaning running track

Set Contains

2 pcs nylon roller, 2 door stop and 1 lower guide
4 steel screws and nuts for door stop, 1 open-end spanner,
3 steel screw for lower guide and 12 steel screw for suspend
bracket



SGSF-SGWS1000 Aluminium Track




Code	Technical data			Packing
	Max. weight per door leaf	Min. door thickness	Max. door height	
SGSF-SGWS100	100 kg	27 mm	2500 mm	30 sets/ctn

Code	Size	Packing
SGSF-SGWS1000 Aluminium Track	2000 mm Length	-
	3000 mm Length	-
	4000 mm Length	-
	6000 mm Length	-

SGSF-SGW160-WD Silent Sliding Door Hanger Set

*Pre order with minimum MOQ required




Features


- For 1- and 2-leaf sliding doors
- Height adjustable door leaves
- Suspension with supporting flange
- Self cleaning running track

Set Contains

2 pcs Black nylon roller, 2 door stop and 1 lower guide
4 steel screws and nuts for door stop, 1 open-end spanner,
3 steel screw for lower guide and 12 steel screw for suspend
bracket



SGSF-SG1600 Aluminium Track



10

Code	Technical data			Packing
	Max. weight per door leaf	Min. door thickness	Max. door height	
SGSF-SGW160-WD	160 kg	35 mm	2500 mm	30 sets/ctn

Code	Size	Packing
SGSF-SG1600 Aluminium Track	2000 mm Length	-
	3000 mm Length	-
	4000 mm Length	-
	6000 mm Length	-

*All the measurements are in millimeter (mm)

SGSF-SGWS250-WD Silent Sliding Door Hanger Set

*Pre order with minimum MOQ required




Features


- For 1- and 2-leaf sliding doors
- Height adjustable door leaves
- Suspension with supporting flange
- Self cleaning running track

Set Contains

2 pcs nylon roller, 2 door stop and 1 lower guide
4 steel screws and nuts for door stop, 1 open-end spanner,
3 steel screw for lower guide and 12 steel screw for suspend
bracket



SGSF-SGWS2500 Aluminium Track



10


Code	Technical data			Packing
	Max. weight per door leaf	Min. door thickness	Max. door height	
SGSF-SGWS250/250kg-WD	250 kg	35 mm	2500 mm	30 sets/ctn

Code	Size	Packing
SGSF-SGWS2500 Aluminium Track	2000 mm Length	-
	3000 mm Length	-
	4000 mm Length	-
	6000 mm Length	-

*All the measurements are in millimeter (mm)

SLIDING DOOR FITTINGS


SGSF-SG2100 Sliding Door Gear




SGSF-SG2200 Sliding & Folding Door Gear



SGSF-SGP843 Wall Mount Bracket



SGSF-SG200 Aluminium Track



Code	Description	Material	Door Weight	Size
SGSF-SG2100	2 Roller Sets, 2 End Stopper & 1 Nylon Bottom Roller	Zinc Diecast / Nylon	100kg	-
SGSF-SG2200	2 Roller Sets, 2 End Stopper & 1 Nylon Bottom Guide	Zinc Diecast / Nylon	50-80 kg	-
SGSF-SGP843	Wall Mount Bracket	Steel	-	-
SGSF-SG200	Aluminium Track	Aluminium	-	2.0 mtr
				3.0 mtr
				4.0 mtr
				5.0 mtr
				6.0 mtr

*All the measurements are in millimeter (mm)

SGSF-8300 Top Roller Hanger



Suitable for: Heavy internal doors for commercial and industrial use. Multiple doors may be butting or passing.

Features

- Maximum load 175kg per door.
- Aluminium wrap-around track - wheels cannot jump off track.
- Nylon tyred 4 wheel carriages with lubricated steel ball bearings - sealed for maintenance free operation.
- Independent wheel saddle and suspension - optimum performance.
- Hardened steel pivot body and high strength adjusting pivot with lock nuts.
- Anti-bounce track mounted door stops.
- Optional pelmet - aluminium extrusion in mill finish or clear anodised.


SGSF-826 End Stopper



SGSF-SG208 Bottom Guide



SGSF-822 Wall Mount Bracket



SGSF-820 Aluminium Top Track




Code	Description	Size
SGSF-8300	Top Roller Hanger	-
SGSF-826	End Stopper	-
SGSF-SG208	Bottom Guide	-
SGSF-822	Wall Mount Bracket	-
SGSF-820	Aluminium Top Track	2.0 mtr
		3.0 mtr
		4.0 mtr
		6.0 mtr

*All the measurements are in millimeter (mm)

SGSF-SG3300 Sliding Door Gear

*Pre order with minimum MOQ required



SGSF-SG331 Top Roller Hanger

*Pre order with minimum MOQ required



SGSF-SG375 End Stopper

*Pre order with minimum MOQ required



SGSF-SG300 Aluminium Track

*Pre order with minimum MOQ required




Code	Material	Size	Packing
SGSF-SG3300	Stainless Steel SUS304	-	10 Sets/box, 40 sets/ctn
SGSF-SG331	Stainless Steel SUS304	-	40 pcs/box, 240 pcs/ctn
SGSF-SG375	Mild Steel	-	50 pcs/box, 300 pcs/ctn
SGSF-SG300	Aluminium	2.0 mtr	-
		3.0 mtr	
		4.0 mtr	
		6.0 mtr	

*All the measurements are in millimeter (mm)

SGWSF-SGGL140 Silent Sliding Door Hanger Set

*Pre order with minimum MOQ required




Features

- For single or double leaf doors
- Height adjustment of 10mm
- High performance rollers, zinc alloy body, "O" form wheels
- With ground shield ball bearings
- Unique design of track with slope bottom, provides the system dust-free and self-cleaning characters.
- Glass door without routing hole


Set Contains

2 pcs Black nylon roller, 1 pair glassclamp, 2 door stop and 1 lower guide 4 steel screws and nuts for door stop, 2 steel screw for lower guide, 1 hexogen spanner



SGSF-SG1600 Aluminium Track

*Pre order with minimum MOQ required



SGSF-L812 Glass Door Bottom Guide

*Pre order with minimum MOQ required



10


Code	Technical data			Packing
	Max. weight per door leaf	Glass thickness	Max. door height	
SGWSF-SGGL140-WD	140 kg	8 / 10 / 12 mm	2500 mm	24 sets/ctn

Code	Size	Packing
SGSF-SG1600 Aluminium Track	2000 mm Length	-
	3000 mm Length	-
	4000 mm Length	-
	6000 mm Length	-
SGSF-L812 Glass Door Bottom Guide optional with the supplied	-	100 pcs/ctn

*All the measurements are in millimeter (mm)

SGSF-SGWS250 Silent Sliding Door Hanger Set

*Pre order with minimum MOQ required



Features

- For 1- and 2-leaf sliding doors
- Height adjustable door leaves
- Suspension with supporting flange
- Self cleaning running track

Set Contains

2 pcs nylon roller, 2 door stop and 1 lower guide
4 steel screws and nuts for door stop, 1 open-end spanner,
3 steel screw for lower guide and 12 steel screw for suspend
bracket

SGSF-SGWS2500 Aluminium Track

*Pre order with minimum MOQ required



SGWSF-SGGL250 Glass Clamp

*Pre order with minimum MOQ required



SGSF-L812 Glass Door Bottom Guide

*Pre order with minimum MOQ required



Code	Technical data			Packing
	Max. weight per door leaf	Glass thickness	Max. door height	
SGSF-SGWS250 Hanger Set	250 kg	35 mm	2500 mm	30 sets/ctn
SGSF-SGGL250 Glass Clamp	250 kg	12 mm	2500 mm	30 sets/ctn


Code	Size	Packing
SGSF-SGWS2500 Aluminium Track	2000 mm Length	-
	3000 mm Length	-
	4000 mm Length	-
	6000 mm Length	-
SGSF-L812 Glass Door Bottom Guide optional with the supplied	-	100 pcs/ctn

*All the measurements are in millimeter (mm)

SLIDING GLASS DOOR FITTINGS



SGWSF-SGGL6100 Sliding Glass Door Hanger Sets (90kg)



Necessary Fitting

- 2 Sets Roller Hanger
- 2 pcs Hanger Stopper
- 1 pc Door Guide


SGWSF-SGGL6200 Sliding Glass Door Hanger Sets (90kg)




Necessary Fitting

- 2 Sets Roller Hanger
- 2 pcs Hanger Stopper
- 1 pc Door Guide

SGWSF-SGGL6100



SGWSF-SGGL6200



Code	Description	Material	Finishing	Packing
SGWSF-SGGL6100	Sliding Glass Door Hanger Sets (90kg)	Stainless Steel SUS304	SS	10
SGWSF-SGGL6200	Sliding Glass Door Hanger Sets (90kg)	Stainless Steel SUS304	SS	10


10

*All the measurements are in millimeter (mm)


SLIDING GLASS DOOR FITTINGS




SGWSF-SG6001 Sliding Door Track



SGWSF-SG6002 Sliding Door Track



SGWSF-SG6003 Sliding Door Track




Code	Description	Material	Finishing	Packing
SGWSF-SG6001	Sliding Door Track	Aluminium	Silver	2m
				3m
				4m
				6m
SGWSF-SG6002	Sliding Door Track	Aluminium	Silver	2m
				3m
				4m
				6m
SGWSF-SG6003	Sliding Door Track	Aluminium	Silver	2m
				3m
				4m
				6m

*All the measurements are in millimeter (mm)



SLIDING GLASS DOOR FITTINGS




SGWSF-SGGL6500 Wall Bracket For SG6000 Track





SGWSF-SGGL6150 Wall to Track Connector



SGWSF-SGGL6160 Wall to Track Connector



SGWSF-SGGL250 Glass Clamp



Code	Description	Material	Finishing	Packing
SGWSF-SGGL6500	Wall Bracket For SG 6000 Track	Stainless Steel SUS304	SS	100 pcs/ctn
SGWSF-SGGL6150	Wall to Track Connector	Stainless Steel SUS304	Nylon	100 pcs/ctn
SGWSF-SGGL6160	Wall to Track Connector	Stainless Steel SUS304	Nylon	100 pcs/ctn
SGWSF-SGGL250	Glass Clamp	Zinc Alloy	Silver	30 pairs/ctn

*All the measurements are in millimeter (mm)

SGSF-SGW75 Folding Door System



Features

- For Door weights up to 75kg
- For wooden door leaves
- For 2-to-8-leaf folding doors
- Floating suites possible
- Full corrosion resistance construction
- 304 marine grade cast stainless steel parts for improved strength and maximum corrosion resistance
- Concealed guide channel to enhance appearance
- Mortise or non-mortise hinge and hangers
- Precision bearings top and bottom to reduce rolling resistance
- Durable polypropylene channel provides quiet operation
- Ideal for coastal application


Technical Data

- Max.door height 3300 mm
- Max.load capacity 75 kg
- Max.door width 900 mm
- Max.door leaves 8
- For door thickness 35-50 mm
- Min.track radius 5000 mm

Material and Finishes

- Running track: Aluminium
- Upper hanging nylon roller and SUS304 suspend profile
- Hinge SUS304
- Hanger bodies : SUS304
- Bottom guides high precision bearings and SUS304 suspend fitting
- Bottom track Aluminium
- Lined bottom track invisible PVC

10




Installation configuration

2 panels				
3 panels				
4 panels				
5 panels				
6 panels				
7 panels				
8 panels				

*All the measurements are in millimeter (mm)


SGSF-SGW75 Folding Door System

INSTALLATION DIMENSION




SGSF-SGW75 Folding Door System


ATTACHMENT




SGSF745-TLA



SGW745-TMLB




SGSF745-TMLC




SGW745-TLD


ADJUSTMENT




HEIGHT
ADJUSTMENT




LOCKING



LOCKING




BOTTOM PIVOT
ADJUSTMENT




SGSF-7500 Aluminium Track

SGSF-SGP7500 PVC Support Guide Channel




SGSF-B7500 Bottom Guide Channel




Code	Material	Length
SGSF-7500	Aluminium	3000 mm
		6000 mm
SGSF-SGP7500	PVC	3000 mm
		6000 mm
SGSF-B7500	Aluminium	3000 mm
		6000 mm

*All the measurements are in millimeter (mm)


SGSF-SGW75-TLA Top & Bottom Pivot Set (SUS304)




SGSF-SGW75-TMLB Intermediate Hinge Set (SUS304)



SGSF-SGW75-TMLC Top Roller Hanger Set (SUS304)




SGSF-SGW75-TLD End Roller Hanger Set (SUS304)



Code	Finishing	Packing
SGSF-SGW75-TLA	SS	20 sets/ctn
SGSF-SGW75-TMLB	SS	20 sets/ctn
SGSF-SGW75-TMLC	SS	20 sets/ctn
SGSF-SGW75-TLD	SS	20 sets/ctn

*All the measurements are in millimeter (mm)

SGSF-8300 -Top Roller Hanger




Suitable for: Heavy internal doors for domestic, commercial and industrial use. Maximum of 8 leaves in any single run.


Features

- Maximum load 60kg per leaf. Guide channel must be used when end pivoted otherwise 45kg per leaf.
- Nylon tyred 4 wheel carriages with lubricated steel ball bearings - quiet and smooth running.
- Hardened steel pivot body for added strength.
- Top pivot track clamp for vertical alignment.
- Thrust bearing at each pivot point.
- High strength height adjusting pivot with locknuts.
- Optional top, side or end fix brackets.
- Aluminium wrap around ribbed track for obstruction free use and visual appeal.
- Chrome plated brackets.
- Brass pivot for long life and ease of adjustment.
- Optional guide system.
- Suits door thicknesses of 32mm and above.


SGSF-840 + SG841 Top & Bottom Pivot




SGSF-SGP842 Nylon Roller Bottom Guide





SGSF-822 - Wall Mount Bracket



SGSF-849 - Bottom Guide Channel



SGSF-820 - Aluminium Top Track



Code	Description	Material	Size
SGSF-8300	Top Roller Hanger	-	-
SGSF840 + SGSF841	Top & Bottom Pivot	-	-
SGP842	Nylon Roller Bottom Guide	-	-
SG822	Wall Mount Bracket	-	-
SGSF-849	Bottom Guide Channel	-	2.0 mtr
			3.0 mtr
			4.0 mtr
			6.0 mtr
SGSF-820	Aluminium Top Track	Aluminium	2.0 mtr
			3.0 mtr
			4.0 mtr
			6.0 mtr

*All the measurements are in millimeter (mm)


SGSF-SG2200 Sliding & Folding Door Gear




SGSF-SGP843 Wall Mount Bracket




SGSF-SGP842 Nylon Roller Bottom Guide



SGSF-849 Bottom Guide Channel



SGSF-SG200 Aluminium Track






10

Code	Description	Material	Door Weight	Size
SGSF-SG2200	2 Roller Sets, 2 End Stopper & 1 Nylon Bottom Guide	Zinc Diecast / Nylon	50-80 kg	-
SGSF-SGP843	Wall Mount Bracket	Steel	-	-
SGSF-SGP842	Nylon Roller Bottom Guide	Steel & Nylon	-	-
SGSF-SG849	Bottom Guide Channel	Aluminium	-	2.0 mtr
			-	3.0 mtr
			-	4.0 mtr
			-	6.0 mtr
SGSF-SG200	Aluminium Track	Aluminium	-	2.0 mtr
				3.0 mtr
				4.0 mtr
				5.0 mtr
				6.0 mtr


*All the measurements are in millimeter (mm)



WFD FOLDING DOOR SYSTEM (1+3)




No	Code	Item Name	Quantity
1	SGWGF-WFD587	Side Hinge (R/L)	3 pcs
2	SGWGF-WFD586	Centre Hinge	3 pcs
3	SGWGF-WFD588	Centre Hinge With Handle	1 pcs
4	SGWGF-WFD606	Transmission Lockcase	2 pcs
5	SGWGF-WFD616	Multi Lock Handle	2 pcs
6	SGWGF-WFD601	Flust Bolt	1 pair
7	SGWGF-WFD582	Top Roller With Centre Hinge (4 Nylon Hinge)	1 set
8	SGWGF-WFD595	Bottom Guide With Centre Hinge (R/L)	1 pc
9	SGWGF-WFD3585	Mortise Lockcase (25mm)	1 pc
10	LH 71012	Lever Handle	1 pair



Horizontal Sectional View A-B


*All the measurements are in millimeter (mm)




Type	Class	Description	Panel Size (width x height)	Max. Panel Size (mm)
SGWGF-WFD582		4 Nylon Roller	750mm x 2400mm	60 Kg
SGWGF-WFD572		4 Brass Roller	800mm x 2700mm	70 Kg
SGWGF-WFD592		6 Brass Roller	850mm x 3000mm	80 Kg

- WFD Folding door system are using high-quality ball bearing & nylon material, after the processing, sliding more smoothly and quietly, greatly extend the using life.
- Door up and down adjusting device, no need to unload the door.
- In this system, open in and open out function can be achieved by the means of changing alum profile.
- Special surface resist corrosion, suitable for different environment and climate.


SGWGF-WFD572 Top Roller With Centre Hinge (4 Brass Wheel)




SGWGF-WFD573 Top Roller With Side Hinge (4 Brass Wheel)



SGWGF-WFD582 Top Roller With Centre Hinge (4 Nylon Wheel)



SGWGF-WFD583 Top Roller With Side Hinge (4 Nylon Wheel)





10



Code	Description	Material	Finishing	Packing
SGWGF-WFD572	Top Roller With Centre Hinge (4 Brass Wheel)	Aluminium	Black / White	100 pcs/ctn
SGWGF-WFD573	Top Roller With Centre Hinge (4 Brass Wheel)	Aluminium	Black / White	100 pcs/ctn
SGWGF-WFD582	Top Roller With Centre Hinge (4 Nylon Wheel)	Aluminium	Black / White	100 pcs/ctn
SGWGF-WFD583	Top Roller With Centre Hinge (4 Nylon Wheel)	Aluminium	Black / White	100 pcs/ctn

*All the measurements are in millimeter (mm)

SGWGF-WFD593 Top Roller With Side Hinge (6 Brass Wheel)





SGWGF-WFD585 Bottom Guide With Centre Hinge (LH/RH)





Code	Description	Material	Finishing	Packing
SGWGF-WFD592	Top Roller With Centre Hinge (6 Brass Wheel)	Aluminium	Black / White	50 pcs/ctn
SGWGF-WFD593	Top Roller With Centre Hinge (6 Brass Wheel)	Aluminium	Black / White	50 pcs/ctn
SGWGF-WFD584	Bottom Guide With Side Hinge (LH/RH)	Aluminium	Black / White	100 pcs/ctn
SGWGF-WFD585	Bottom Guide With Centre Hinge (LH/RH)	Aluminium	Black / White	100 pcs/ctn

*All the measurements are in millimeter (mm)

SGWGF-WFD595 Bottom Guide With Centre Hinge (LH/RH)





SGWGF-WFD587 Side Hinge (LH/RH)



Code	Description	Material	Finishing	Packing
SGWGF-WFD594	Bottom Guide With Side Hinge (LH/RH)	Aluminium	Black / White	100 pcs/ctn
SGWGF-WFD595	Bottom Guide With Centre Hinge (LH/RH)	Aluminium	Black / White	100 pcs/ctn
SGWGF-WFD586	Centre Hinge	Aluminium	Black / White	200 pcs/ctn
SGWGF-WFD587	Side Hinge (LH/RH)	Aluminium	Black / White	200 pcs/ctn



*All the measurements are in millimeter (mm)

SGWGF-WFD616 Multi Lock Handle



SGWGF-WFD607


Transmission Lockcase (20mm)



Code	Description	Material	Finishing	Packing
SGWGF-WFD588	Centre Hinge With Handle	Aluminium	Black / White	100 pcs/ctn
SGWGF-WFD616	Multi Lock Handle	Aluminium	Black / White	100 pcs/ctn
SGWGF-WFD606	Transmission Lockcase (25mm)	Zinc Alloy	Black	50 pcs/ctn
SGWGF-WFD607	Transmission Lockcase (20mm)	Zinc Alloy	Black	50 pcs/ctn

*All the measurements are in millimeter (mm)

SGWGF-WFD3585 Mortise Lockset (35mm)



SGWGF-WFD601 Flush Bolt



SGWGF-WFD602 Flush Bolt & SGWGF-WFD603 Keeper



WFD 602

WFD 603

SGWGF-WFD604 Water Guide



10

Code	Description	Material	Finishing	Packing
SGWGF-WFD3585	Mortise Lockset (35mm)	Stainless Steel SUS304	SS	20 pcs/ctn
SGWGF-WFD601	Flush Bolt	Zinc Alloy	Black	1000 pairs/ctn
SGWGF-WFD602	Flush Bolt	Zinc Diecast	Black	200 pairs/ctn
SGWGF-WFD603	Keeper for WFD602	Zinc Diecast	Black	200 pairs/ctn
SGWGF-WFD604	Water Guide	PVC	Black	1000 pairs/ctn

*All the measurements are in millimeter (mm)



YOUR SECURITY PARTNER

DOOR FITTING ACCESSORIES

ARCHITECTURAL HARDWARE




2003




2013




SGFP-0070 Sliding Flush Pull



SGFP-0060 Sliding Door Pull




**SGFP-SL0080
Sliding Door Flush Pull With Lock**




Code	Finishing	Function	Material	Backset	D.Thickness	Packing
SGFP-0060	SS	-	Stainless Steel SUS304	-	-	20 pcs/box , 100 pcs/ctn
SGFP-0070	SN	-	Zinc Diecast	-	30 ~ 50	10 sets/box, 20 sets/ctn
SGFP-SL0080	SN / AB	Entrance	Zinc Diecast	35	32-45	20 sets/ctn
SGFP-SL0082		Privacy				

*All the measurements are in millimeter (mm)


SGFP-0030 Oval Sliding Flush Pull




SGFP-0050 Sliding Flush Pull with Cylinder Hole



SGFP-SL0042 Sliding Flush Pull With Lock (Privacy)



SGFP-0402 Square Flush Pull 4"x 2"



SGFP-C07 Flush Pull Ring



SGFP-002 Flush Pull Ring With Latch




SGFP-003B/90mm Circle Flush Pull



Code	Finishing	Function	Material	Backset	D.Thickness	Packing
SGFP-0030	AC / AB / SS / PB	-	Stainless Steel SUS304	-	-	10 prs/box, 60 pairs/ctn
SGFP-0050	SN	-	Zinc Diecast	-	-	10 prs/box, 60 pairs/ctn
SGFP-SL0042	SN		Zinc Diecast	45	35-52	20 sets/ctn
SGFP-0402	SS	-	Stainless Steel SUS304	-	-	10 pcs/box, 200 pcs/ctn
SGFP-C07	SS	-	Stainless Steel SUS304	-	-	10 pcs/box, 100 pcs/ctn
SGFP-002	SS	-	Stainless Steel SUS304	60	-	12 pcs/box, 72 pcs/ctn
SGFP-003B/90mm	SS	-	Stainless Steel SUS304	-	-	40 pcs/ctn

*All the measurements are in millimeter (mm)

Flush Bolt Lever Style




Flush Bolt (Box Type)




Code	Size	Material	Finishing	Packing
Flush Bolt Lever Style	SGDB-36606	Stainless Steel SUS304	SS	10 pcs/box, 100 pcs/ctn
	SGDB-36608			
	SGDB-36610			
	SGDB-36612			
Flush Bolt (Box Type)	SGDB-35606	Stainless Steel SUS304	SS	10 pcs/box, 100 pcs/ctn
	SGDB-35608			
	SGDB-35612			
	SGDB-35618			10 pcs/box, 50 pcs/ctn
	SGDB-35624			
	SGDB-35640			
	SGDB-35706	Stainless Steel	PB	10 pcs/box, 100 pcs/ctn
	SGDB-35708			
	SGDB-35712			
	SGDB-35806	Stainless Steel	AB	10 pcs/box, 100 pcs/ctn
	SGDB-35808			
	SGDB-35812			
	SGDB-35818			10 pcs/box, 50 pcs/ctn
	SGDB-35824			
	SGDB-35906	Stainless Steel	AC	10 pcs/box, 100 pcs/ctn
	SGDB-35908			
	SGDB-35912			

ABB800 Aluminium Barrel Bolt



Code	Size	Material	Finishing	Packing
ABB800 Aluminium Barrel Bolt	SGDB-31604	Aluminium	SN	10 Doz/ctn
	SGDB-31606			10 Doz/ctn
	SGDB-31608			6 Doz/ctn
	SGDB-31618			3 Doz/ctn
	SGDB-31624			3 Doz/ctn
	SGDB-31636			3 Doz/ctn
	SGDB-31804		AB	10 Doz/ctn
	SGDB-31806			10 Doz/ctn
	SGDB-31808			6 Doz/ctn
	SGDB-31818			3 Doz/ctn
	SGDB-31824			3 Doz/ctn
	SGDB-31836			3 Doz/ctn
	SGDB-31904		AC	10 Doz/ctn
	SGDB-31906			10 Doz/ctn
	SGDB-31908			6 Doz/ctn
	SGDB-31918			3 Doz/ctn
	SGDB-31924			3 Doz/ctn
	SGDB-31936			3 Doz/ctn


SGDB-SB505 Swing Bolt




SGDB-909L Security Bolt




SGDB-012 Toilet Indicator Bolt




SGDB-013 Toilet Indicator Bolt



SGDB-014 SS Toilet Indicator Bolt




SGDB-600 Auto Flush Bolt




Code	Material	Finishing	D.Thickness	Packing
SGDB-SB505	Stainless Steel SUS304	SS	-	20 pcs/box, 120 pcs/ctn
SGDB-909L	Zinc Diecast	CP	-	50 pcs/box, 100 pcs/ctn
SGDB-012	Stainless Steel SUS304	SS	-	100 pcs/ctn
SGDB-013	Stainless Steel SUS304	SS	-	100 pcs/ctn
SGDB-014	Stainless Steel SUS304	SS	12 - 20	100 sets/ctn
SGDB-600	Stainless Steel SUS304	SS	-	50 pairs/ctn

*All the measurements are in millimeter (mm)


SGDB-7602 / SGDB-7603 Square Bolt




SGDB-DB009 Square Bolt




SGDB-Q2 Door Bolt (Big)




SGDB-Q1A Door Bolt (Small)




SGDB-8604 4" Barrel Bolt



SGDB-8606 6" Barrel Bolt




SGDB-8610 10" Barrel Bolt




Code	Material	Finishing	Packing
SGDB-7602/2"	Stainless Steel SUS304	SS	12 pcs/box, 360 pcs/ctn
SGDB-7603/3"			12 pcs/box, 240 pcs/ctn
SGDB-DB009	Stainless Steel SUS304	SS	12 pcs/box, 72 pcs/ctn
SGDB-Q2	Stainless Steel SUS304	SS	12 pcs/box, 24 pcs/ctn
SGDB-Q1A	Stainless Steel SUS304	SS	12 pcs/box, 24 pcs/ctn
SGDB-8604	Stainless Steel SUS304	SS	12 pcs/box, 360 pcs/ctn
SGDB-8606	Stainless Steel SUS304	SS	12 pcs/box, 240 pcs/ctn
SGDB-8610	Stainless Steel SUS304	SS	12 pcs/box, 180 pcs/ctn

*All the measurements are in millimeter (mm)


SGDS-04 Door Stopper (Dome)




SGDS-006 Door Stopper




SGDS-011 Door Bumper




SGDS-022 Wall Door Stopper



SGDS-023 Wall Door Stopper




SGDS-024 Hat & Coat Hook Door Stopper




Code	Material	Finishing	Packing
SGDS-04	Zinc Diecast	SN	10 pcs/box, 100 pcs/ctn
		AB / AC	10 pcs/box, 100 pcs/ctn
SGDS-006	Brass	SS	15 pcs/box, 90 pcs/ctn
SGDS-011	Stainless Steel SUS304	AB / AC / SS	20 pcs/box, 120 pcs/ctn
SGDS-022	Stainless Steel SUS304	SS	12 pcs/box, 72 pcs/ctn
SGDS-023	Stainless Steel SUS304	SS	12 pcs/box, 72 pcs/ctn
SGDS-024	Stainless Steel SUS304	SS	12 pcs/box, 72 pcs/ctn

*All the measurements are in millimeter (mm)



SGDS-031 Door Stopper



20mm Transparent Bush




SGDS-J7 Wall Mount Door Stopper (R/L)




Code	Material	Finishing	Packing
SGDS-031	Zinc Diecast	CP	20 pcs/ctn
20mm Transparent Bush	-	-	100 pcs/box, 1000 pcs/ctn
SGDS-J7 Wall Mount Door Stopper(R/L)	Stainless Steel SUS304	SS	24 pcs/box, 96 pcs/ctn


SGDS-03 Heavy Duty Door Holder




SGDS-06 Heavy Duty Door Holder




SGDS-07 Heavy Duty Door Holder



SGDS-019 Magnetic Door Holder




SGDS-020 Door Holder



SGDS-021 Magnetic Door Holder




SGDS-028 (Magnetic)



Code	Material	Finishing	Packing
SGDS-03	Zinc Diecast	AB / AC / SN	12 pcs/box, 72 pcs/ctn
SGDS-06	Stainless Steel SUS304	SS	12 pcs/box, 72 pcs/ctn
		AB / AC	
SGDS-07	Zinc Diecast	SN	36 pcs/box, 72 pcs/ctn
SGDS-019	Stainless Steel SUS304	SS	20 pcs/box, 120 pcs/ctn
SGDS-020	Zinc Diecast	AB / AC / SN	20 pcs/box, 120 pcs/ctn
SGDS-021	Zinc Diecast	SN	12 pcs/box, 72 pcs/ctn
SGDS-028	Zinc Diecast	SN	10 pcs/box, 100 pcs/ctn


*All the measurements are in millimeter (mm)

SGDS-1220 Door Holder




20mm

SGDS-1230 Door Holder




30mm

SGDS-1250 Door Holder



50mm


SGDS-1270 Door Holder




70mm

Code	Size	Material	Finishing	Packing
SGDS-1220	20mm	Stainless Steel & Steel	AC, SN, White, Black	20pcs/box, 120pcs/ctn
SGDS-1230	30mm	Stainless Steel & Steel	Black & White	20pcs/box, 120pcs/ctn
SGDS-1250	50mm	Stainless Steel & Steel	AC, SN, White, Black	20pcs/box, 120pcs/ctn
SGDS-1270	70mm	Stainless Steel & Steel	AC, SN, White, Black	20pcs/box, 120pcs/ctn


SGDS-13 Dust Socket (13mm)



SGDS-126 Dust Socket (12mm)



SGDS-106 Dust Socket (10mm)




SGAC-DV3776 Door Viewer 180°




Code	Size	Material	Finishing	Packing
SGDS-13/SS	Ø13	Stainless Steel SUS304	SS	20 pcs/box, 120 pcs/ctn
SGDS-13/AB			AB	
SGDS-13/AC			AC	
SGDS-126	Ø12	Brass / Stainless Steel SUS304	SS	40 pcs/box, 240 pcs/ctn
SGDS-106	Ø10	Brass	SS	50 pcs/box, 300 pcs/ctn
SGAC-DV3776	-	Brass	SN	20 pcs/box, 120 pcs/ctn
SGAC-DV3777			PB	
SGAC-DV3778			AB	
SGAC-DV3779			AC	


SGDG-002 Door Guard Ball Bearing




SGDG-108 Door Guard Ball Bearing




SGDG-005 Door Chain




SGDG-006 Door Chain



SGDG-015 Door Chain




SGDG-216 Door Chain & Bolt




Code	Material	Finishing	Packing
SGDG-002	Zinc Diecast	AB / AC / SN / PB	12 pcs/box, 72 pcs/ctn
SGDG-108	Zinc Diecast	SN	12 pcs/box, 72 pcs/ctn
SGDG-005	Stainless Steel SUS304	AC / SS	10 pcs/box, 60 pcs/ctn
SGDG-006	Steel	AC / SN	20 pcs/box, 120 pcs/ctn
SGDG-015	Stainless Steel SUS304	SN	10 pcs/box, 60 pcs/ctn
SGDG-216	Steel	SN	10 pcs/box, 60 pcs/ctn
SGDG-219	Steel	AC	10 pcs/box, 60 pcs/ctn

SGDG-109 Door Guard




Installation Guide:




Code	Material	Finishing	Packing
SGDG-109	Aluminium	SC	12 pcs/box, 72 pcs/box


NJ402F Rebated Part




NJ401F Rebated Part




Hollow Rebated Part




SGRP-Striker Plate 6085



Solid Stainless Steel SUS304 Mortise Lock Rebated Part



Hollow Stainless Steel SUS304 Mortise Lock Rebated Part



	Code	A	B	C	Material	Finishing	Packing
Rebated Part	NJ402F	-	-	-	PVC	White	100 pcs/ctn
	NJ401F	-	-	-			500 pcs/ctn
Hollow Rebated Part	SGRP-706	-	-	-	Stainless Steel SUS304	SN	30 pcs/box, 180 pairs/ctn
	SGRP-707					PB	
	SGRP-708					AB	
	SGRP-709					AC	
Striker Plate	SGRP-Striker Plate 6085	-	-	-	Stainless Steel SUS304	SS	200 pcs/ctn
Solid Stainless Steel Mortise Lock Rebated Part	SGRP-2/110mm	110		10	Stainless Steel SUS304	SS	20 pcs/box, 200 pcs/ctn
	SGRP-2/152mm	152	22	10			
	SGRP-2/164mm	164	23	10			
	SGRP-2/169mm	169	22.5	10			
	SGRP-2/205mm	205	22.5	10			
	SGRP-2/235mm	235	22	10			
Hollow Stainless Steel Mortise Lock Rebated Part	SGRP-2/240mm	240	22	10	Stainless Steel SUS304	SS	20 pcs/box, 200 pcs/ctn
	SGRP-3/164mm	164	23	10			
	SGRP-3/205mm	205	22.5	10			
	SGRP-3/240mm	240	22	10			

*All the measurements are in millimeter (mm)


Deadbolt Cylinder & Keys



Dummy Cover for Handle Set



SGCK-8906 Dummy Cover for Profile Cylinder




Code		Material	Finishing	Packing
Deadbolt Cylinder & Keys	SGCK-9186	Brass & Zinc Diecast	SS	12 pcs/box, 48 pcs/ctn
	SGCK-9187		PB	
	SGCK-9188		AB	
	SGCK-9189		AC	
Dummy Cover for Handle Set	SGCK-8706	Zinc Diecast	SS	6 pcs/box, 36 pcs/ctn
	SGCK-8707		PB	
	SGCK-8708		AB	
	SGCK-8709		AC	
Dummy Cover for Profile Cylinder	SGCK-8906	Brass	SN	40 prs/box, 240 pairs/ctn
	SGCK-8907		PB	
	SGCK-8908		AB	
	SGCK-8909		AC	

SGEC-F12B/SS Round Escutcheon Cover Grade 2



SGEC-F11B Round Escutcheon Cover



SGEC-F13 Round Escutcheon




SGEC-F14 Round Escutcheon w/o Hole




Code	Material	Finishing	Packing
SGEC-F12B	Stainless Steel SUS304 / Zinc Diecast	SS	25 prs/box, 100 pairs/ctn
SGEC-F11B	Stainless Steel SUS304	AB / AC / SS	100 pairs/ctn
SGEC-F13	Stainless Steel SUS304	SS	100 pairs/ctn
SGEC-F14	Stainless Steel SUS304	SS	100 pcs/ctn

*All the measurements are in millimeter (mm)


SGEC-F31 Oval Escutcheon Cover




SGEC-F51 Square Escutcheon Cover



SGEC-1190/P/SN Escutcheon with 30mm Thumbturn & Key Profile Cylinder




SGEC-1190/ET/SN Escutcheon with 30mm Thumbturn & Key Profile Cylinder




Code	Material	Finishing	D.Thickness	Function	Packing
SGEC-F31	Stainless Steel SUS304	PB / SS	-	-	30 prs/box, 180 pairs/ctn
SGEC-F51	Stainless Steel SUS304	SS	-	-	25 prs/box, 100 pairs/ctn
SGEC-1190/P/SN	Escutcheon - SUS304 SS Cylinder - Brass	SS	38 - 50	Privacy	-
SGEC-1190/ET/SN	Escutcheon - SUS304 SS Cylinder - Brass	SS	38 - 50	Entrance	-

*All the measurements are in millimeter (mm)


SGCL-575 Brass Ball Catch



Roller Latch



Gripset Latch



Deadbolt Latch Brass Bolt




Tubular SS Latch For TL527



Code	Size	Material	Finishing	Packing
Brass Ball Catch	50	Brass	PB	100 pcs/box, 1000 pcs/ctn
	60			50 pcs/box, 500 pcs/ctn
	70			50 pcs/box, 500 pcs/ctn
Roller Latch	SGCL-664	Brass	SS	20 pcs/box, 120 pcs/ctn
	SGCL-694		AC	
Code	Size	Finishing	Backset	Packing
Gripset Latch	SGCL-861	SN	60-70 Adjustable	24 pcs/box, 96 pcs/ctn
		AC		
Deadbolt Latch Brass Bolt	SGCL-763	SS	60-70 Adjustable	12 pcs/box, 48 pcs/ctn
	SGCL-793	AC		
Tubular SS Latch For TL527	SGCL-460	SS	60-70 Adjustable	24 pcs/box, 96 pcs/ctn


Cylindrical Spring Latch - Dead Latch



Size	A	B	C	D	E
60	50	58	26	11	2
70	60	58	26	11	2

Code	Backset	Material	Finishing	Function	RM / Unit
SGCL-960	60	Zinc Alloy, Steel & Stainless Steel	SS	Dead Latch	7.30
	70				8.60


Cylindrical Spring Latch - Privacy




Size	A	B	C	D	E
60	50	58	26	11	2
70	60	58	26	11	2

Code	Backset	Material	Finishing	Function
SGCL-961	60	Zinc Alloy, Steel & Stainless Steel	SS	Privacy
	70			

SGAC-H322 Roller Shutter Lock




S/S Roller / Brass Roller




Code	Material	Finishing	Packing
SGAC-H322 Roller Shutter Lock	Steel	-	5 pcs/box, 80 pcs/ctn
Stainless Steel Roller	Stainless Steel	CP	100 pcs/box, 2500 pcs/ctn
Brass Bearing Roller	Brass		


SGCL-001 Window Handle & Latch



SGCL-WS09 Brass Window Stay




SGCL-ZF01 Window Fastener




	Code	Material	Finishing	Packing
Window Handle & Latch	SGCL-001	Zinc Diecast	AC	30 pcs/box, 300 pcs/ctn
			Chrome	
Solid Brass Window Stay	SGCL-WS09126/SN 12"	Brass	SN	10 pcs/box, 100 pcs/ctn
Window Fastener	SGCL-ZF01	Zinc Diecast	SN	12 pcs/box, 72 pcs/ctn


SGHS-KV3" CP / SGHS-KV4" CP Hasp & Staple




SGHS-WB2-1/2" SS SGHS-WB4" SS Hasp & Staple



SGHS-KL24303 SS Hasp & Staple



SGHS-KL24404 Hasp & Staple



Code	Material	Packing
SGHS-KV 3" Hasp & Staple	Steel	12 pcs/box, 48 pcs/ctn
SGHS-KV 4" Hasp & Staple	Steel	

Code	Item	A	B	C	D	E	F	G	H	Material	Packing
Hasp & Staple	SGHS-WB2-1/2"	10	15	15	75	27	-	-	-	Stainless Steel SUS304	12 pcs/box, 48 pcs/ctn
	SGHS-WB4"	10	19	19	100	35	-	-	-		
	SGHS-KL24325	78	19	-	11	20	19	12	11	Stainless Steel SUS304	60 pcs/box, 240 pcs/ctn
	SGHS- KL24303	100	26	10.5	17	24	25	16	14		60 pcs/box, 240 pcs/ctn
	SGHS- KL24304	132	34	11	23	26	33	16	19		24 pcs/box, 96 pcs/ctn
	SGHS- KL24404									Stainless Steel SUS304	24 pcs/box, 96 pcs/ctn